


CANTONEIRAS


	Código		
AZULEJO		A -1G	arredondada grande
		A -1	arredondado
		A -2	meia lua
		A -3	sextavada grande
		A -4	sextavada pequena
		A -5	canto vivo
MASSA		M -1	
		M -2	1,5
		M -3	1,8
GESSO		G -1	90º
		G -2	135º

PERFIL TIPO L

	Código	Polegadas (")		Milímetros (mm)			
		A	e	A	e		
ABAS IGUAIS	L 1/2	1/2	-	12,700	1,000		
		1/2	1/16	12,700	1,588		
	L 5/8	5/8	-	15,875	1,000		
		5/8	1/16	15,875	1,588		
	L 3/4	3/4	-	19,050	1,000		
		3/4	1/16	19,050	1,588		
		3/4	1/8	19,050	3,175		
	L 1	1	-	25,400	1,000		
		1	1/16	25,400	1,588		
		1	1/8	25,400	3,175		
	L 1. 1/4	1. 1/4	1/8	31,750	3,175		
	L 1. 1/2	1. 1/2	1/8	38,100	3,175		
		1. 1/2	3/16	38,100	4,763		
	L 2	2	1/16	50,800	1,588		
	2	1/8	50,800	3,175			
	2	3/16	50,800	4,763			
ABAS DESIGUAIS	L 1 x 1/2	1	1/2	1/16	25,400	12,700	1,588
		1	1/2	1/8	25,400	12,700	3,175
	L 1 x 3/4	1	3/4	1/16	25,400	19,050	1,588
	L 30 x 14	-	-	1/16	30,000	14,000	1,588
	L 30 x 19	-	-	1/16	30,000	19,000	1,588
	L 1. 1/2 x 3/4	1. 1/2	3/4	1/16	38,100	19,050	1,588
	L 1. 1/2 x 1	1. 1/2	1	1/8	38,100	25,400	3,175
	L 2 x 3/4	2	3/4	1/8	50,800	19,050	3,175
	L 2 x 1	2	1	1/8	50,800	25,400	3,175

BARRA CHATA

CHATO





Código	Polegadas (")		Milímetros (mm)	
	A	e	A	e
BC 3/8	3/8	3/16	9,525	4,763
BC 10 x 6	-	-	10,000	6,000
BC 1/2	1/2	1/8	12,700	3,175
	1/2	1/4	12,700	6,350
BC 5/8	5/8	1/8	15,875	3,175
	5/8	3/16	15,875	4,763
BC 3/4	3/4	1/8	19,050	3,175
	3/4	1/4	19,050	6,350
	3/4	3/8	19,050	9,525
BC 7/8	7/8	1/8	22,225	3,175
BC 1	1	1/16	25,400	1,588
	1	1/8	25,400	3,175
	1	3/16	25,400	4,763
BC 1. 1/4	1. 1/4	1/8	31,750	3,175
BC 1. 1/2	1. 1/2	1/8	38,100	3,175
BC 2	2	1/8	50,800	3,175

PERFIL FRISADO PARA ESCADA


FRISADO		Código			Polegadas (")			Milímetros (mm)		
		A	B	e	A	B	e	A	B	e
		Frisado p/ Escada			2	1.1/4	1/16	50,800	31,750	1,588
		Barra Chata Frisada			1	0	1/16	25,400		1,588

VERGALHÃO


REDONDO		Código		Polegadas (")		Milímetros (mm)	
				A		A	
		VG 3/8		3/8		9,525	
		VG 5/8		5/8		15,875	
		VG 7/8		7/8		22,225	

QUADRADO		Código		Polegadas (")		Milímetros (mm)	
				A		A	
		V 1/2		1/2		12,700	
		V 1		1		25,400	




TUBULARES

REDONDO		Código		Polegadas (")		Milímetros (mm)	
				A	e	A	e
		TB 3/8		1/2	-	9,525	1,200
		TB 7/8		7/8	-	22,225	1,400
		TB 1		1	-	25,400	1,800

RETANGULAR		Código			Polegadas (")			Milímetros (mm)		
					A	B	e	A	B	e
		TB 2 x 1			2	1	-	50,800	25,400	1,000
		TB 3 x 1.1/2			3	1.1/2	-	72,000	35,500	1,500
	SEM REFORÇO	TB 2 x 1			2	1	-	50,800	25,400	1,000
		TB 3 x 1.1/2			3	1.1/2	-	72,000	35,500	1,500


QUADRADO		Código		Polegadas (")		Milímetros (mm)	
				A	e	A	e
		TB 1		1	1/16	25,400	1,588
		TB 2		2	1/16	50,800	1,588


OUTROS PRODUTOS

PRESILHA		Código	Polegadas (")		Milímetros (mm)	
			A	B	A	B
PERFIL H						
PERFIL H		Código				
						Peça com 760 mm
						Peça com 965 mm

RÉGUA

RÉGUA







Milímetros (mm)	
A	B
25	50
25	50
35	70

ESQUADRO

ESQUADRO






Milímetros (mm)	
A	B
600	800
800	1.000
1.000	1.000
1.000	1.200

FRISADOR


FRISADOR




2,0 m de comp.

ALÇAPÃO PARA FORRO

ALÇAPÃO - SIMPLES - CLIPADO




	Código	Centímetros (cm)		Milímetros (mm)	
		A	e	A	e
PADRÃO	AL.S.C 20x20	20	2,54	200	25,40
	AL.S.C 30x30	30	2,54	300	25,40
	AL.S.C 40x40	40	2,54	400	25,40
	AL.S.C 50x50	50	2,54	500	25,40
	AL.S.C 60x60	60	2,54	600	25,40
MEDIDAS ESPECIAIS	AL.S.C 70x70	70	2,54	700	25,40
	AL.S.C 80x80	80	2,54	800	25,40
	AL.S.C 90x90	90	2,54	900	25,40
	AL.S.C 100x100	100	2,54	1.000	25,40
	AL.S.C 110x110	110	2,54	1.100	25,40
	AL.S.C 120x120	120	2,54	1.200	25,40
	AL.S.C 130x130	130	2,54	1.300	25,40
	AL.S.C 140x140	140	2,54	1.400	25,40
	AL.S.C 150x150	150	2,54	1.500	25,40
	AL.S.C 160x160	160	2,54	1.600	25,40
	AL.S.C 170x170	170	2,54	1.700	25,40
	AL.S.C 180x180	180	2,54	1.800	25,40
	AL.S.C 190x190	190	2,54	1.900	25,40




	Código	Centímetros (cm)		Milímetros (mm)	
		A	e	A	e
	AL.S.C 10x20	10	2,54	100	25,40
	AL.S.C 20x30	20	2,54	200	25,40
	AL.S.C 30x40	30	2,54	300	25,40
	AL.S.C 40x50	40	2,54	400	25,40
	AL.S.C 50x60	50	2,54	500	25,40

ALÇAPÃO - DUPLO OU INVISÍVEL - CLIPADO



	Código	Centímetros (cm)		Milímetros (mm)	
		A	e	A	e
PADRÃO	AL.D.C 20x20	20	0,25	200	2,50
	AL.D.C 30x30	30	0,25	300	2,50
	AL.D.C 40x40	40	0,25	400	2,50
	AL.D.C 50x50	50	0,25	500	2,50
	AL.D.C 60x60	60	0,25	600	2,50
MEDIDAS ESPECIAIS	AL.D.C 70x70	70	0,25	700	2,50
	AL.D.C 80x80	80	0,25	800	2,50
	AL.D.C 90x90	90	0,25	900	2,50
	AL.D.C 100x100	100	0,25	1.000	2,50
	AL.D.C 110x110	110	0,25	1.100	2,50
	AL.D.C 120x120	120	0,25	1.200	2,50
	AL.D.C 130x130	130	0,25	1.300	2,50
	AL.D.C 140x140	140	0,25	1.400	2,50
	AL.D.C 150x150	150	0,25	1.500	2,50
	AL.D.C 160x160	160	0,25	1.600	2,50



ABAS DESIGUAIS



AL.D.C 170x170	170	0,25	1.700	2,50
-----------------------	-----	------	-------	------

--	--	--	--	--

Código	Centímetros (cm)		Milímetros (mm)	
	A	e	A	e

--	--	--	--	--

--	--	--	--	--

--	--	--	--	--

* Espessura Mínima: 0,50 mm
* Revestimento Zincado: Z 275g/m²
* Comprimento das Barras: 3.000 mm

Código


Milímetros (mm)

A


B

FORRO

Canaleta para Forro
F530



Tabica Lisa/ Perfurada/
Pintura Eletrostática



F.530

17,00

47,00

W4048

48,00


40,00

W4048 PF

RF01

RF02

GUIAS



G48

30,00

48,00

G70

30,00


70,00

G90

30,00

90,00

MONTANTES



M48

35,00

47,00

M70

35,00


69,00

M90

35,00

89,00

CANTONERIAS



L 25x25

25,00

25,00

L 24X30

24,00

30,00

L 14X30

14,00

30,00

Tabela de Conversão

POLEGADA	MILIMETRO	DEC. POLEGADA
1 / 64	0,397	0,0156
1 / 32	0,794	0,0313
3 / 64	1,191	0,0469
1 / 16	1,588	0,0625
5 / 64	1,984	0,0781
3 / 32	2,381	0,0938
7 / 64	2,778	0,1094
1 / 8	3,175	0,1250
9 / 64	3,572	0,1406
5 / 32	3,969	0,1563
11 / 64	4,366	0,1719
3 / 16	4,763	0,1875
13 / 64	5,159	0,2031
7 / 32	5,556	0,2188
15 / 64	5,953	0,2344
1 / 4	6,350	0,2500
17 / 64	6,747	0,2656
9 / 32	7,144	0,2813
19 / 64	7,541	0,2969
5 / 16	7,938	0,3125
21 / 64	8,334	0,3281
11 / 32	8,731	0,3438
25 / 64	9,922	0,3906
3 / 8	9,525	0,3750
25 / 64	9,922	0,3906
13 / 32	10,319	0,4063
27 / 64	10,716	0,4219
7 / 16	11,113	0,4375
29 / 64	11,509	0,4531
15 / 32	11,906	0,4688
31 / 64	12,303	0,4844
1 / 2	12,700	0,5000
33 / 64	13,097	0,5156
17 / 32	13,494	0,5313
35 / 64	13,891	0,5469
9 / 16	14,288	0,5625
37 / 64	14,684	0,5781
19 / 32	15,081	0,5938
39 / 64	15,478	0,6094
5 / 8	15,875	0,6250
41 / 64	16,272	0,6406
21 / 32	16,669	0,6563
43 / 64	17,066	0,6719
11 / 16	17,463	0,6875
45 / 64	17,859	0,7031
23 / 32	18,256	0,7188
47 / 64	18,653	0,7344
3 / 4	19,050	0,7500
49 / 64	19,447	0,7656
25 / 32	19,844	0,7813
51 / 64	20,241	0,7969
13 / 16	20,638	0,8125
53 / 64	21,034	0,8281
27 / 32	21,431	0,8438
55 / 64	21,828	0,8594
7 / 8	22,225	0,8750
57 / 64	22,622	0,8906
29 / 32	23,019	0,9063
59 / 64	23,416	0,9219
15 / 16	23,813	0,9375
61 / 64	24,209	0,9531
31 / 32	24,606	0,9688
63 / 64	25,003	0,9844

POLEGADA	MILIMETRO	DEC. POLEGADA
1	25,400	1,0000
1 . 1 / 4	31,750	1,2500
1 . 1 / 2	38,100	1,5000
1 . 3 / 4	44,450	1,7500
2	50,800	2,0000
2 . 1 / 4	57,150	2,2500
2 . 1 / 2	63,500	2,5000
2 . 3 / 4	69,850	2,7500
3	76,200	3,0000
3 . 1 / 4	82,550	3,2500
3 . 1 / 2	88,900	3,5000
3 . 3 / 4	95,250	3,7500
4	101,600	4,0000
4 . 1 / 4	107,950	4,2500
4 . 1 / 2	114,300	4,5000
4 . 3 / 4	120,650	4,7500
5	127,000	5,0000
5 . 1 / 4	133,350	5,2500
5 . 1 / 2	139,700	5,5000
5 . 3 / 4	146,050	5,7500
6	152,400	6,0000
6 . 1 / 4	158,750	6,2500
6 . 1 / 2	165,100	6,5000
6 . 3 / 4	171,450	6,7500

Conversão	
1 POLEGADA =	25,400 MM
1 METRO =	100 CM
1 CENTÍMETRO =	1000 MM